

L Number	Hits	Search Text	DB	Time stamp
1	624	(liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (compensat\$3 near5 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 16:22
15	22	((liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (compensat\$3 near5 voltage)) and (digital adj converter or ddc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 17:26
22	9	((((liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (compensat\$3 near5 voltage)) and (digital adj converter or ddc)) and (compensation near3 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 19:26
29	1	((liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (compensat\$3 near5 voltage)) and (digital-to-digital adj converter or ddc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 17:28
36	3	(digital-to-digital adj converter or ddc) and (compensation near3 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 17:28
50	4	((liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (timing near3 control\$3) and (frequency near3 detect\$3)) and (compensat\$3 near3 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 18:03
57	1	(liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (compensat\$3 near3 voltage) and (digital-to-digital near3 converter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 18:06
64	1	(liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (digital-to-digital near3 converter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 18:07
43	49	(liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (timing near3 control\$3) and (frequency near3 detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 18:07
71	2	((((liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (compensat\$3 near5 voltage)) and (digital adj converter or ddc)) and (compensation near3 voltage)) and (frequency near5 detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 18:30
78	6	digital-to-digital adj converter same advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 19:26
-	26548	(liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 18:05
-	52187	(timing near5 control\$3) same (control near5 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:09
-	0	(frequency near5 detect\$3) same (timing adj control\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 16:42

-	2820	(compensat\$3 near5 voltage) same (driv\$3 near5 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 16:51
-	2645	(compensat\$3 near5 voltage) same (driv\$3 near5 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 16:53
-	0	((compensat\$3 near5 voltage) same (driv\$3 near5 voltage)) and (digital-to-digital adj conver4 or ddc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 16:53
-	466	(liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (compensat\$3 near3 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 16:55
-	55	(timing near5 control\$3) same (control near5 signal) and ((liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and (compensat\$3 near3 voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 17:12
-	4	(timing near5 control\$3) same (voltage adj converter) same (compensat\$3 near5 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 17:19
-	3	(frequency adj detect\$3) same (voltage adj converter) same (compensat\$3 near5 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 17:28
-	1	(compensat\$3 near5 voltage) same (adjust\$3 near3 charge near3 time) same (thin adj film adj transistor or tft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 17:46
-	3	(compensat\$3 near5 voltage) and (adjust\$3 near3 charge near3 time) and (thin adj film adj transistor or tft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 17:48
-	20	(charge adj time) same (thin adj film adj transistor or tft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 18:12
-	6	((charge adj time) same (thin adj film adj transistor or tft)) and compensat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 18:14
-	353	(compensat\$3 near5 voltage) same (frequency near5 detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 18:16
-	2	(liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft) and ((compensat\$3 near5 voltage) same (frequency near5 detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 11:15
-	30	controll\$3 near7 (liquid adj crystal adj display or lcd) and (set\$4 near6 compensat\$3 near6 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:47

-	18171	(detect\$3 near6 control near6 signal) and (timing near6 control\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 10:58
-	2	(controll\$3 near7 (liquid adj crystal adj display or lcd) and (set\$4 near6 compensat\$3 near6 voltage)) and ((detect\$3 near6 control near6 signal) and (timing near6 control\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 10:55
-	9	(controll\$3 near7 (liquid adj crystal adj display or lcd) and (set\$4 near6 compensat\$3 near6 voltage)) and (timing near6 control\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 10:58
-	1	(compensat\$3 near5 voltage) same (adjust\$3 near5 (charge adj time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 11:48
-	1	interface and (timing adj controller) and (compensation adj voltage) and (voltage adj converter) and (liquid adj crystal adj display or lcd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 14:54
-	4	interface and (timing adj controller) and (voltage adj converter) and (liquid adj crystal adj display or lcd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 14:32
-	24	compensation near5 voltage same adjust\$3 near5 charge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 14:35
-	3	(compensation near5 voltage same adjust\$3 near5 charge) and (digital adj converter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 14:41
-	10	(compensation adj voltage) same (gate near3 voltage or common near3 voltage) same (thin adj film and transistor or tft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 14:48
-	1	(timing adj controller) and (compensation adj voltage) and (voltage adj converter) and (liquid adj crystal adj display or lcd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 14:56
-	1	((liquid adj crystal adj display or lcd) and (charge adj rate) and compensation) and tft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 14:58
-	34	(liquid adj crystal adj display or lcd) and (charge adj rate) and compensation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 14:58
-	88154	(timing near5 control\$3) and (control near5 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 08:11
-	1017	((timing near5 control\$3) and (control near5 signal)) and (liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 08:12

-	11	((((timing near5 control\$3) and (control near5 signal)) and (liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft)) and (compensation adj voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:53
-	1	((((timing near5 control\$3) and (control near5 signal)) and (liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft)) and (compensation adj voltage)) and (digital adj converter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:14
-	8	((((timing near5 control\$3) and (control near5 signal)) and (liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft)) and (compensation adj voltage)) and converter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:16
-	4	(((((timing near5 control\$3) and (control near5 signal)) and (liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft)) and (compensation adj voltage)) and converter) and frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:25
-	66	(digital adj converter or voltage adj converter) same (compensation adj voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:32
-	5	((((timing near5 control\$3) and (control near5 signal)) and ((digital adj converter or voltage adj converter) same (compensation adj voltage))) and frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:32
-	6	((timing near5 control\$3) and (control near5 signal)) and ((digital adj converter or voltage adj converter) same (compensation adj voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:34
-	1	(compensation adj voltage) same (adjust\$3 near3 charge near time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:36
-	3	(compensation adj voltage) same (charge adj time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:48
-	1	(compensation adj voltage) same (gate near3 voltage) same (common adj voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:49
-	5	(((((timing near5 control\$3) and (control near5 signal)) and (liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft)) and (compensation adj voltage)) and (gate near3 voltage or common adj voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 08:55
-	1	(((((timing near5 control\$3) and (control near5 signal)) and ((digital adj converter or voltage adj converter) same (compensation adj voltage))) and frequency) and (gate near3 voltage or common adj voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 09:25
-	0	(chand\$3 near5 charge near rate) same frequenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 09:30
-	78	(chang\$3 near5 charge near rate) same frequenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 09:31

-	2	((timing near5 control\$3) and (control near5 signal)) and (liquid adj crystal adj display or lcd) and (thin adj film adj transistor or tft)) and ((chang\$3 near5 charge near rate) same frequenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 09:40
-	4	(timing adj controller) same (frequency adj detector)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 09:48
-	1	(timing adj controller) and (frequency adj detector) and (voltage adj compensator)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 09:48